



EFFECTIVENESS OF INTEGRATED AGRICULTURE, HEALTH LIVELIHOOD & NUTRITION INTERVENTIONS TO IMPROVE MATERNAL AND CHILD NUTRITION & HEALTH IN RURAL UGANDA: A COHORT BIRTH STUDY

ATANGA SUB-COUNTY





Outline

- Study team
- Objectives of the Study
- Implementation Status
- Research design
- Data Collection
- Results
- Conclusions

STUDY TEAM

MAKERERE UNIVERSITY

- Prof. Bernard Bashaasha, Pl
- Dr. Flo Turyashemererwa, Project Coordinator.
- Ms, Annet Kawuma, Research Specialist
- Edgar Agaba, Researcher

IFPRI

Dr. Nassul Kabunga, Post Doc Fellow

TUFTS UNIVERSITY

- Prof. Jeffrey Griffiths, Director
- Dr Shibani Gosh, Associate Director

HARVARD SCHHOL OF PUBLIC HEALTH

- Dr. Christopher Duggan, Co-PI
- Dr Wafale Fawzi, Co- Pl
- Dr Nilupa Gunaratna, Co- PI

Overall Objective

 To understand the effect of Integrated Interventions (Nutrition, Agriculture and Health) on the Health and Nutrition status of Mothers and Children under Two years of Age

Specific Objectives

 To determine the Effect of integration of nutrition, agriculture and health interventions on the health and nutrition status of pregnant women and children under two years of age

 To determine the effect of aflatoxin exposure and environmental enteropathy on health and nutritional status of pregnant women and children under tow years of age

Specific Objectives

 To assess the coverage, uptake and adherence to CC intervention messages and activities and assess the effect of heterogeneity on pregnant women and children under two years of age

 To determine the heterogeneity in the effect of CC interventions on maternal and child health and nutrition status due to variability in households

Research Design

- A Cohort of Mothers and young children were followed from pregnancy through the first two years of life
- Randomly selected CC interventions were matched to non cc sub-counties that provided the control
- Each selected CC sub-county was individually matched to a non-CC sub-county with the same
 - Agro ecology
 - Predominant language
- The matched sub –counties are located in non-CC districts to minimize spillover from interventions areas

Table 1: Implementation sites

District	Sub county	Predominant Language	Status
Kabale	Ruhija	Runyankore/Rukiga	Intervention
Kabale	Nyamweru	Runyankore/Rukiga	Intervention
Kanungu	Rugyeyo	Runyankore/Rukiga	Intervention
Kamwenge	Bwizi	Runyankore/Rukiga	Intervention
Kabarole	Kibiito	Runyankore/Rukiga	Control
Rukungiri	Kebisoni	Runyankore/Rukiga	Control
Rukungiri	Bugangari	Runyankore/Rukiga	Control
Rukungiri	Buyanja	Runyankore/Rukiga	Control
Nebbi	Parombo	Alur	Intervention
Zombo	Atyak	Alur	Control
Pader	Atanga	Acholi	Intervention
Lamwo	Agoro	Acholi	Control
Lira	Agweng	Langi	Intervention
Kole	Ayer	Langi	Intervention
Apac	Aduku	Langi	Control
Apac	Apac	Langi	Control

Sampling and Sample size

- The study was conducted in 16 sub counties
- Village health teams/guides were recruited and worked closely with the team to identify pregnant women
- Approximately 322 pregnant women were selected in each of the 16 sub-counties
- The target was to enroll 5152 pregnant women and children
 - In total 5,044(98%) women were enrolled in the study
 - Were to be followed up over a three year period
- In Atanga Sub-county 320 pregnant women were selected and formed the study sample

Sampling contd..

Eligibility criteria

Sample of respondents consisted of

- Pregnant women aged 15-49 years
- Women in their second and third trimester
- Must be Living in the study area until study follow-up period
- Mother provides informed consent

Data Collected

At Household level

Demographic and socioeconomic information
Household composition, Wealth indicators, assets, income, livelihood activities, social participation, water and sanitation, sanitation, access to health services

Agriculture

Activities, production and sale, labor, utilization of technologies and management practices

- Food Security
- Gender roles and Dynamics

Women's role in agriculture, access, ownership and control of assets, production and income, decision—making, time use and access agricultural and nutritional information


Data Collected

Caregiver and child (0-23 months)

- Diet
 - Included infant and young child feeding practices
- Health
 - Recent morbidity, hygiene, utilization of health interventions and services
- Nutritional status
 - Anthropometry
- Venous blood draws
 - Iron, Malaria, Aflatoxins


Household Demographics






Housing Characteristics






Household Characteristics

Atanga- Households' Main Lighting Source and Cooking Fuel




Household Dietary Diversity Score

Atanga-Household Dietary Diversity Score




Food Groups Consumed

Atanga- Food Groups Consumed by Households




Food Groups Consumed by Households in Low HDDS Group

Atanga -- Food Groups Consumed by Households with Low HDDS




Food Groups Consumed by Households in Medium HDDS Group

Apac - Food Groups Consumed by Households with Medium HDDS




Food Groups Consumed by Households in High HDDS Group

Apac -Food Groups Consumed by Households with High HDDS




Household Food Provisioning (MAHFP)

Atanga - Household Food Provisioning (MAHFP)




Household Food Insecurity Access Prevalence

Atanga-Household Food Insecurty Access Prevalence




Maternal Wasting

Atanga-Mid Upper Arm Circumference for. Pregnant Women




Maternal Anemia

Atanga-Prevalence of Anemia in Women 15 to 49 Years




SEEKING HEALTH CARE SERVICES


Atanga- Women of various Age Groups who Sought Antenatal Care




Atanga-Women of Variuos Age Groups Who Received or Bought Iron Tablets




Atanga- Women of Variuos Age Groups who Received Deworming Drugs




Maternade hearth Status & Energian Cy




Atanga - Percentage of Women who Slept Under a Bednet




Atanga - Common Water Sources




Atanga - Household RainWater Harvesting




Atanga- Common ways Households Treat Drinking water




Atanga- Where Households Store Drinking Water



Atanga - Garbage Disposal methods (n = 318)




Atanga - Common Food Storage Methods




Water, Sanitation and Hygiene

Atanga- Time When Repondents Wash Hands




Water, Sanitation and Hygiene

Atanga - Rack Ownership and Use




Water, Sanitation and Hygiene

Atanga - Common Types of Toilet used by Households




Sources of Agricultural Information

Atanga- Source of Agricultural Information




Sources of nutrition information


Atanga - Sources of Nutrition Information




Atanga- Program Exposure & Uptake




Atanga- Receipt of Information to Increase Cultivation of Crops




Ayer- Crops Households were Encouraged to Produce




Atanga- Source of Crop Infomation or Encouragement




Atanga -Receipt of information or Encouragement to Rear Certain Livestock



Atanga-Livestock that Households were Encouraged to Rear




Atanga - Source of Information or Encouragement to Rear Livestock




AGRICULTURAL PRODUCTION

Atanga-Production of Key Nutrient Sensistive Crops



AGRICULTURAL PRODUCTION

Atanga--Production (Kg/Ha) of Selected Nutrient Sensitive Crops



AGRICULTURAL PRODUCTION

Atanga- Percentage of Households Using Varouis Technologies/ Practices

